

Avimagic Entertainment, Inc.
Rider To Performance Agreement

This Rider is provided as part of the Performance Agreement and constitutes an integral part of the Agreement. Its purpose is to ensure the best possible performance, and the audience's maximum enjoyment of the show.

STAGE REQUIREMENTS

- Minimum stage or performance area is 12' wide x 8' deep.
- For audiences of 75 or fewer, performance can be given on floor level. However, a riser at least 12" tall is recommended for professional appearance.
- For audiences larger than 75, a stage or riser at least 18" tall is required.
- For audiences of 500 or more, stage or riser at least 36" tall is required.
- A set of steps or stairs is required, preferably on the side of the stage facing the audience.
- The stage or riser needs to be placed as close as possible to the audience. If the stage or riser is in a fixed location, then the chairs and/or tables need to be placed as close as possible to the stage or riser.
- No dance floor is to be between the performing area and the audience. If there is a permanent dance floor, then a portable stage or riser is to be placed on the dance floor as close as possible to the audience prior to show time.
- No one (including other performers) is permitted on stage or performance area during the show, unless expressly invited by Performer. If the stage or performance area is to be shared by other performers, their equipment need not be completely removed, but must be cleared from the required 12' x 8' performance area prior to the Show.
- All seating must be set up in front of the stage or performance area. No spectators may be seated (or standing) next to or behind the stage or performance area.
- The performance area must be within twenty feet of two grounded (three-prong) 110 volt outlets.
- There are to be no mirrors on the wall behind the stage or performance area or on the ceiling above. Permanent mirrors may be covered with curtains (available upon request).

SOUND REQUIREMENTS

- For audiences of 300 or fewer, if no suitable sound system is available for Performer's use, a sound system will be provided.
- For audiences larger than 300, an appropriate sound system must be provided, along with a sound technician familiar with the system.
- Sound system must have three available inputs (1/4" or XLR), one of which will be used for a CD player. An existing CD player already plugged into the sound system is also acceptable instead of the third input.

LIGHTING REQUIREMENTS

- For audiences of 100 or fewer, the existing light in performance area is satisfactory unless area is unusually dark, however, a spot light is recommended for professional appearance.

- For audiences over 100, stage lights are highly recommended. A minimum 1000 watt spotlight is also beneficial.

ADDITIONAL REQUIREMENTS

- A private place for the setup of the Show and for changing clothes available for Performer's exclusive use beginning at least ninety minutes prior to the Show's scheduled start time and for one hour after the end of the Show.
- A standard dining room "tray jack" or small table is to be placed next to the stage with a pitcher of fresh ice water and two cups or glasses.
- **There is to be NO beverage or wait staff service during performance.**
- Introduction of performer is to be given by designated member of client's group. Suggested introduction will be provided in advance.
- **PLEASE DISTRIBUTE THIS RIDER TO ALL PARTIES INVOLVED. Full cooperation of venue staff is required for a successful performance!**

CLIENT: Please sign the bottom of all pages of this Rider to acknowledge receipt and agreement to comply with all requirements, and fax back to (954) 252-3739.